

เอกสารอ้างอิง

- Ananda, K. and Sridhar, K.R. 2002. Diversity of endophytic fungi in the roots of mangrove species on west coast of India. *Canadian Journal of Microbiology*. 48: 871-878.
- Anzai, Y., Saito, N., Tanaka., M., Kinoshita, K., Koyama, Y. and Kato, F. 2003. Organization of the biosynthetic gene cluster for the polyketide macrolide mycinamicin in *Micromonospora griseorubida*. *FEMS Microbiology Letter*. 218:135-141.
- Arechavaleta, M. Bacon, C.W., Hoveland, C.S. Radcliffe, D.E. 1989. Effect of the tall fescue endophyte on plant response to environmental stress. *Agronomy Journal*. 81:83-90.
- Arnold, A.E. 2007. Understanding the diversity of foliar endophytic fungi: progress, challenges, and frontiers. *Fungal Biology Reviews*. 21: 51-66.
- Arnold, A.E. and Lutzoni, F. 2007. Diversity and host range of foliar fungal endophytes: Are tropical leaves biodiversity hotspot? *Ecology*. 88:541-549.
- Arunoma, O.I. 1994. Deoxyribose assay for detecting hydroxyl radicals. *Methods Enzymol*. 233:57-66
- Bacon, C.W., and White, J.F. (eds.). 2000. *Microbial endophytes*. Marcel-Dekker, New York. 487 pp.
- Bae, H., Kim, S., Sicher Jr R.C., Kim, M.S., Strem, M.D., and Beiley, B.A. 2008. The beneficial
- Barengo, N. Sieber, T.N. Holdenreider, O. 2000. Diversity of endophytic mycobiota in leaves and twigs of pubescent birch (*Betula pubescens*). *Sydowia*. 52:305-320.
- Barnett, H.L. and Hunter, B.B. 1998. *Illustrated Genera of Imperfect Fungi*. 4th Edition. American Phytopathological Society, Minnesota USA. 218 pp.
- Bérdy, J. 2005. Bioactive microbial metabolites: a personal view. *The journal of Antibiotics*. 58: 1-26.
- Bode, H.B., Bethe, B., Höfs, R. and Zeek, A. 2002. Big effect from small changes: possible ways to explore nature's chemical diversity. *ChemBioChem*. 3:619-627.
- Bohnert, H.J., Nelson, D.E., Jensen, R.G. 1995. Adaptations to environmental stress. *The Plant Cell*. 7:1099-1111.
- Brown, K.B., Hyde, K.D., Guest, D.I. 1998. Preliminary studies on endophytic fungal

- communities of *Musa acuminata* species complex in Hong Kong and Australia. *Fungal Diversity*. 1:27-51.
- Burton, R.A., Wood, S.G., and Owen, N.L. 2003. Elucidation of a new oleanane glycoside from *Barringtonia asiatica*. *Arkivoc*. 13:137-146.
- Cannon, P.F. and Simmons, C.M. 2002. Diversity and host performance endophyte, *Trichoderma hamatum*, delays the onset of drought stress in *Theobroma cacao*. *Biological Control*. 46: 24-35.
- Clinical and Laboratory Standard Institute (CLSI). 2000. Reference method for broth dilution antimicrobial susceptibility tests for bacteria that grow aerobically. Approved standard M7-A4. Clinical and Laboratory Standard Institute, Wayne, PA.
- Clinical and Laboratory Standard Institute (CLSI). 2002b. Reference method for broth dilution antifungal susceptibility testing of yeasts. Approved standard M27-A2. Clinical and Laboratory Standard Institute, Wayne, PA.
- Clinical and Laboratory Standard Institute (CLSI). 2002c. Reference method for broth dilution antimicrobial susceptibility testing of filamentous fungi. Approved standard M38-A. Clinical and Laboratory Standard Institute, Wayne, PA.
- Cowan, M.M. 1999. Plant products as antimicrobial agents. *Clinical Microbiology Reviews*. 12:564-582.
- de Siqueira, V.M., Conti, R., de Araújo, J. and Souza-Motta, C.M. 2011. Endophytic fungi from The medicinal plants *Lippia sidoides* Cham. and their antimicrobial activity. *Symbiosis*. 53:89-95.
- Domsch, K.H., Gams, W. and Anderson, T.W. 1993. *Compendium of Soil Fungi Volume I*. IHWVerlag Press.
- Duong, L.M., Jeewon, R., Lumyong, S. and Hyse, K.D. 2006. DGGE coupled with ribosomal DNA phylogenies reveal uncharacterized fungal phylotypes on living leaves of *Magnolia liliifera*. *Fungal Diversity*. 23: 121-138.
- Dreyfuss, M.M. and Chapela, I.H. 1994. Potential of fungi in the discovery of novel, low-molecular weight pharmaceuticals. In: *The discovery of natural products with therapeutic potential.* (ed Gullo, V.P.). Butterworth-Heinemann, Boston: 49-80.

- Drummond, A. J. and Waigh, R. D. 2000. The development of microbiological methods for phytochemical screening. *Recent Research Developments in Phytochemistry* 4: 143 – 152.
- Fisher, P.J., Petrini, O., Petrini, L.E. and Sutton, B.C. 1994. Fungal endophytes from the leaves and twigs of *Quercus ilex* L. from England, Majorca and Switzerland. *New Phytologist*. 127 : 133-137.
- Fisher, P.J., Petrini, L.E., Sutton, B.C. and Petrini, O. 1995. A study of fungal endophytes in leaves, stems and root of *Gynoxis oleifolia* Muchler (Compositae) from Ecuador. *Nova Hedwigia*. 60 : 589-594.
- Fröhlich, J., Hyde, K.D. and Petrini, O. 2000. Endophytic fungi associated with palms. *Mycological Research*. 104: 1202-1212.
- Gao, X.X., Zhou, H., Xu, D.Y., Yu, C.H., Chen, Y.Q. and Qu, L.H. 2005. High diversity of endophytic fungi from the pharmaceutical plant, *Heterosmilax japonica* Kunth revealed by cultivation-independent approach. *FEMS Microbiology Letters*. 249:255-266.
- Gazis, R. and Chaverri, P. 2010. Diversity of fungal endophytes in leaves and stems of wild rubber trees (*Heavea brasillensis*) in Peru. *Fungal Ecology*. 3:240-254.
- Gennaro, M., Gonthier, P., Nicolotti, G., 2003. Fungal endophytic communities in healthy and declining *Quercus robur* L. and *Q. cerris* L. trees in northern Italy. *Journal of Phytopathology*. 151:529-534.
- Gunatilaka, A.A.L., 2006. Natural product from plant-associated microorganisms: Distribution, structural diversity, bioactivity, and implication of their occurrence. *Journal of Natural Product*. 69: 509-526.
- Guo, L.D., Hyde, K.D. and Liew, E.C.Y. 1998. A method to promote sporulation in palm endophytic fungi. *Fungal Diversity*. 1: 109-113.
- Guo, B., Wang, Y., Sun, X., and Tang, K. 2008. Bioactive natural product from endophytes: A review. *Applied Biochemistry and Microbiology*. 44: 136-142.
- Halliwell, B. 1999. Antioxidant defense mechanism: from the beginning to the end (of the beginning). *Free Rad. Res*. 31:261-272.
- Hawksworth, D.L. 2004. Fungal diversity and its implication for genetic resource collections. *Studies in Mycology*. 50:9-18.

- Helander, M.L., Neuvonen, S., Sieber, T. and Petrini, O. 1993. Simulated acid rain affects birch leaf endophytic populations. *Microbial Ecology*. 26: 227-234.
- Hormazabal, E. and Piontelli, E. 2009. Endophytic fungi from Chilean native gymnosperms: antimicrobial activity against human and phytopathogenic fungi. *World Journal of Microbiology and Biotechnology*. 25:27-32.
- Huang, X., Xie, W., and Gong, Z. 2000. Characteristics and antifungal activity of chitin binding protein from *Ginkgo biloba*. *FEBS Letters*. 478: 123-126.
- Huang, J., Lai, X., Zhong, M., and Zhang, S. 2004. Survey of the chemical constituents and pharmacological activities of mangrove medicinal plant *Barringtonia*. *Chinese Acad. Sci.* 16: 167-171.
- Huang, W.Y., Cai, Y.Z., Xing, J., Corke, H., and Sun, M. 2007. Potential antioxidant resource: endophytic fungi isolated from traditional Chinese medicinal plants. *Economic Botany*. 61:14-30.
- Huang, W.Y., Cai, Y.Z., Hyde, K.D., Corke, H. and Su, M. 2008. Biodiversity of endophytic fungi associated with 29 traditional Chinese medicinal plants. *Fungal Diversity*. 3:61-75.
- Jeenkaewpieam, 2010. Endophytic fungi from *Rhodomyrtus tomentosa* (Ait.) Hassk which produce antimicrobial substance. Master of Science, Prince of Songkla University, Songkla, Thailand.
- Johnson, M.C., Pirone, T.P. Siegel, M.R. and Varney, D.R. 1982. Detection of *Epichloe typhina* in tall fescue by mean of enzyme-linked immunosorbent assay. *Photopathology*. 72:647-650.
- Johnston, P.R. Sutherland, P.W. and Joshee, S. 2006. Visualising endophytic fungi within leaves by detection of (1-3)- β -D-glucans in fungal cell wall. *Mycologist*. 20:159-162.
- Jutiviboonsuk, A., Zhang, H.J., Kondratyuk, T.P., Herunsalee, A., Chaukul, W., Pezzuto, J.M., Fong H.S., and Bunyaphatsara. 2007. Isolation and characterization of cancer chemopreventive compounds from *Barringtonia maunwongyathiae*. *Pharmaceutical Biology*. 45(3): 185-194.
- Kumaresan, V. and Suryanarayanan, T.S. 2002. Endophyte assemblage in young, mature and senescent leaves of *Rhizophora apiculata*: evidence for the role of endophytes in mangrove litter degradation. *Fungal Diversity*. 9:81-91.

- Laorpaksa, A., Jianmongkol, S., and Pothiwong, W. 2008. Antimicrobial activity of endophytic bacteria isolated from Thai medicine plant. *Thai J. Pharm. Sci.* 32:21-32.
- Li, J.Y., Strobel, G.A., Sinhu, R., Hess, W.M., and Fords, E. 1996. Endophytic taxol producing fungi from Bald Cypress *Taxodium distichum*. *Microbiology (Reading U.K.)*. 142: 2223-2226.
- Li, J.Y., and Strobel, G.A., 2001. Jesteone and hydroxyl-jesterone antioomycete cyclohexenone epoxides from the endophytic fungus *Pestalotiopsis jesteri*. *Phytochemistry*. 57:261-265.
- Li, J.Y., Harper, J.K., Grant, D.M., Oka Tombe, B., Bashyal, B., Hess, W.M., and Strobel, G.A. 2001. Amburic acid, a highly functionalized cyclohexenone with antifungal activity from *Pestalotiopsis* spp. and *Monochaetia* sp. *Photochemistry (Oxf.)*. 56:463-468.
- Lin, X., Lu, C., Huang, Y. Zheng, Z. Su, W. and Shen, Y. 2007. Endophytic fungi from a pharmaceutical plant, *Camptotheca acuminata*: isolation identification and bioactivity. *World Journal of Microbiology and Biotechnology*. 23:1037-1040.
- Liu, X., Dong, H., Chen, X., Jiang, M., Lv, X., and Zhou, J., 2008. Antimicrobial activity of an endophytic *Xylaria* sp. YX-28 and identification of its antimicrobial compound 7-amino-4-methylcoumarin. *Appl Microbiol Biotechnol*. 78:241-247.
- Lorian, V. 1996. *Antibiotic in Laboratory Medicine*. 3rd. William & Wikins, Baltimore.
- Mahesh., B., Tejesvi, M.V., Nalini, M.S. and Prakash, H.S. 2005. Endophytic mycoflora of inner bark of *Azadirachta indica* A. *Current Science*. 88:218-219.
- Mojica, E.E., and Micor, R.L. 2007. Bioactivity study of *Barringtonia asiatica* (Linnaeus) Kurz. seed aqueous extract in *Artemia salina*. *International Journal of Botany*. 3:325-328.
- Moricca, S. and Ragazzi, A. 2008. Fungal endophytes in Mediterranean oak forsts: a lesson from *Discula quercina*. *Phytopathology*. 98:380-386.
- Marinho, A.M.R., Rodrigues-Filho, E., Moitinho, M.L.R. and Santos, L.S. 2005. Biological active polyketides produced by *Penicillium janthinellum* isolated as an endophytic fungus from fruits of *Melia azedarach*. *Journal of Brazilian Chemical Society*. 16:280-283.
- Petrini, O. 1991, Fungal endophytes of tree leaves. In Andrews J.H., Hirano, S.S. editors. *Microbial ecology of leaves*. New York, USA: Springer-Verlag. P. 179-198.
- Petrini, O., Sieber, T.N., Toti, L., and Vivet, O., 1992. Ecology, metabolite production and substrate utilization in endophytic fungi. *Natural Toxins*, 1:185-196.

- Phongpaichit, S., Rungjindamai, N., Rukachaisirikul, V., and Sakayaroj J. 2006. Antimicrobial activity in cultures of endophytic fungi isolated from *Garcinia* species. *FEMS Immunology & Medical Microbiology*. 48: 367-372.
- Photita, W., Lumyong, S., Lumyong, P. and Hyde, K.D. 2000. Endophytic fungi of wild banana (*Musa acuminata*) at Doi Suthep Pui National Park, Thailand. Paper presents at the Asian Mycological Congress 2000 (AMC 2000) incorporating the 2nd Asia-Pacific Mycological Congress on Biodiversity and Biotechnology, and held at the University of Hong Kong on 9 – 13 July 2000.
- Photita, W., Lumyong, S., Lumyong, P., McKenzie, E.H.C. and Hyse, C.A. 2004. Are some endophytes of *Musa acuminata* latent pathogens? *Fungal Diversity*. 16:131-140.
- Rahman, M.M., Polfreman, D., MacGeachan J., and Gray A., 2005. Antimicrobial activities of *Barringtonia acutangula*. *Phytother. Res.* 19: 543-545.
- Redman, R.S., Sheehan, K.B., Stout, T.G., Rodriguez, R.J., and Henson, J.M. 2002. Thermotolerance generated by plant/fungal symbiosis. *Science*. 298: 1581.
- Rodrigues, K.F. and Samuels, G.J. 1990. Preliminary study of endophytic fungi in tropical palm. *Mycological Research*. 94: 827-830.
- Rodrigues, K.F. 1994. The foliar fungal endophytes of the Amazonian palm *Euterpe oleracea*. *Mycologia*. 86:376-385.
- Rukachaisirikul, V., Khamthong, N., Sukpondma, Y., Phongpaichit, S., Towatana, N.H., Graidist, P. Sakayaroj, J. and Kirtikara, K. 2010. Cyclohexene, diketopiperazine, lactone and phenol derivatives from the sea fan-derived fungi *Nigrospora* sp. PSU-F11 and PSU-F12. *Archives of Pharmacal Research*. 22:375-380.
- Saikkonen, K. 2007. Forest structure and fungal endophytes. *Fungal Biology Review*. 2 : 67-74.
- Schmeda-Hirschman, G., Hormazabal, E., Astudillo, L., Rodriguez, J. and Theoduloz, C. 2005. Secondary metabolites from endophytic fungi isolated from Chilean gymnosperm *Prumnopitys andina* (Lleuque). *World Journal of Microbiology and Biotechnology*. 21:27-32
- Schulz, B., Boyle, C., Draeger, S., Rommert, A.K., and Hrohn, K. 2002. Endophytic fungi: a source of novel biologically active secondary metabolites. *Mycol. Tes*. 106: 996-1004.

- Schwarz, M., Köpcke, B., Weber, R.W.S., Sterner, O. And Anke, H. 2004. 3-Hydroxypropionic acid as a nematocidal principle in endophytic fungi. *Phytochemistry*. 65:2239-2245.
- Seena,S.,Wynberg, N., Bärlocher, F. 2008. Fungal diversity during leaf decomposition in a stream assessed through clone libraries. *Fungal Diversity*. 30:1-14.
- Sette, L.D., Passarini M.R.Z., Delarmelina, C., Salani, F., and Duartermelina M.C.T. 2006. Molecular characterization and antimicrobial activity of endophytic fungi from coffee plants. *World J Microbiol Biotechnol*. 22: 1185-1195.
- Sieber, T.N. Sieber-Canavesi, F. Dorworth, C.E. 1991, Endophytic fungi of red alder (*alnus-rubra*) leaves and twigs in British-Columbia. *Canadian Journal of Botany*. 69:407-411.
- Sterile, A., Strobel, G.A., and Sterile, D. 1993. Taxol and taxane production by *Taxomyces andreanae*. *Science (Wash., D.C.)*. 260: 214-216.
- Sterile, A., Sterile, D., and Strobel. G.A. 1995. The search for taxol producing microorganism among endophytic fungi of the Pacific yew, *Taxus brevifolia*. *J Nat Prod (Lloydia)*. 58:1315.
- Strobel, G., Yang, X., Sears, J., Kramer, R., Sidhu, R.S., and Hess, W.M., 1996. Taxol from *Pestalotiopsis microspora*, an endophytic fungus of *Taxus wallichiana*. *Microbiology*. 142:435-440.
- Strobel, G.A., Miller, R.V., Miller, C., Condron, M., Teplow, D.B., and Hess, W.M. 1999. Cryptocandin, a potent antimycotic from the endophytic fungus *Cryptosporiopsis cf. quercina*. *Microbiology (Reading U.K.)*. 145: 1919-1926.
- Strobel, G.A. 2002. Microbial gift from the rain forests. *Can J Plant Pathol*. 24:14-20.
- Strobel, G. 2003. Endophyte as sources of bioactive product. *Microbe and Infection*. 5:535-544.
- Strobel G., and Daisy B., 2003. Bioprospecting for microbial endophytes and their natural products. *Microbiol Mol Biol Rev*. 67:491-502.
- Strobel, G., Daisy, B., Castillo, U. and Harper, J. 2003. Natural products from endophytic microorganisms. *J Nat.Pro. Reviews: A-L*.
- Suryanarayanan, T.S., Murali, T.S., and Venkatesan, G. 2002. Occurance and distribution of fungal endophytes in tropical forests across a rainfall gradient. *Canadian Journal of Botany*. 80: 818-826.

- Suryanarayanan, T.S. and Thennarasan, S. 2004. Temporal variation in endophyte assemblages of *Plumeria rubra* leaves. *Fungal Diversity*. 15:197-204.
- Tan, R.X., and Zou, W.X. 2001. Endophytes: a rich of functional metabolites. *Natural Product Reports*. 18: 448-459.
- Taylor, J.E., Hyde, K.D. and Jone, E. 1999. Endophytic fungi associated with the temperate palm, *Trachycarpus fortune*, within and outside its natural geographic range. *New Phytologist*. 142:335-346.
- Tao, G., Liu, Z.Y., Hyde, K.D., Lui, X.Z. and Yu, Z.N. 2008. Whole rDNA analysis reveals novel an endophytic fungi in *Bletilla ochracea* (Orchidaceae). *Fungal Diversity*. 33:101-122.
- Wang, J., Li, G., Lu, H. Zheng, Z., Huang, Y., and Su, W. 2000. Taxol from *Tubercularia* sp. Strain TF5, and endophytic fungi of *Taxus mairei*. *FEMS Microbiology Letter*. 261: 218-223.
- Wiyakrutta, S., Sriubolmas, N., Panphut, W., Thongon, N., Danwisetkanjana, K., Ruangrunsi, N., and Meevootisom, V. 2004. Endophytic fungi with anti-microbial, anti-cancer and anti-malarial activities isolated from Thai medical plants. *World Journal of Microbiology & Technology*. 20: 265-272.
- Xing, X. and Guo, S. 2011. Fungal endophyte communities in four Rhizophoraceae mangrove species on the south coast of China. *Ecol Res*. 26:403-409)
- Yamazaki, K., Hashimoto, A., Kokusenya, Y., Miyamoto, T. and Sato, T. 1994. Electrochemical method for estimating the antioxidative effects of methanol extracts of crude drugs. *Chem. Pharm. Bull*. 42:1663-1665.
- Borneman, J., Keen, N.T. 2001
- Yang, C.H., Crowley, D.E., Borneman, J., Keen, N.T. 2001. Microbial phyllosphere population are more complex than previously realized. *Proceeding of the National Academy of Sciences of the United State of America*. 98:3889-3894.
- Yu, H., Zhang, L., Li, L., Zheng, C., Guo, L., Li, W., Sun, P., and Qin, L. 2010. Recent developments and future prospects of antimicrobial metabolites produced by endophytes. *Microbiological research*. 165 : 437-449.